Specifications for imageRUNNER 2002N





Print / Copy / Scan			
Type	B / W Laser Multifunctional (Reader / Printer Console)		
Maximum Original Size	A3		
Fixing System	On-demand Fusing		
Copy Speed	A4	20ppm	
	A3	10ppm	
First Copy Time	7.9secs		
Warm-Up Time	From Power On	13secs	
	From Sleep Mode	2.9secs (The time it takes from recovery sleep to the start key is enabled)	
Print Description Language	UFRII Lite		
OS compatibility	Windows 8.1 / 8 / 7 / Vista / XP / 2000, Windows Server 2012 / Server 2008 / Server 2003, Mac OS X 10.5.8 or later		
Resolution	Scan	300 x 300dpi	
	Сору	600 x 600dpi	
	Print	600 x 600dpi	
Pull Scan (MF Toolbox / Scangear)	B / W & Color		

Push Scan (MF Toolbox)	B / W & Color	B / W & Color		
Scan Features	TWAIN, WIA compatible			
Supported File Format (Scan)	PDF / Searchable PDF / Compact PDF, BMP, JPEG, TIFF			
Processor speed	400MHZ			
Memory Capacity	128MB			
Paper handling				
Paper Sizes	Cassette 1	A3, B4, A4R, A4, B5R, B5, A5R		
	Cassette 2 (Optional)	A3, B4, A4R, A4, B5R, B5, A5R		
	Bypass Tray	A3, B4, A4R, A4, B5R, B5, A5R, Envelope (COM 10, Monarch, ISO-C5, DL)		
Acceptable Originals	Sheet, Book, and Three dimensional objects (up to 2kg)			
Available Paper	Drawer	Weight: 64 to 90gsm Type: Plain, Recycled, Color (64 to 80gsm), Bond (75 to 90gsm)		
	Bypass Tray	Weight: 64 to 128gsm Type: Plain, Recycled, Color (64 to 80gsm), Bond (75 to 90gsm), Heavy Paper 1 (91 to 105gsm), Heavy Paper 2 (106 to 128gsm), Transparencies, Labels, Envelopes		
Paper Capacity	Cassette 1	250 sheets (80gsm)		
	Cassette 2 (Optional)	250 sheets (80gsm)		
	Bypass Tray	80 sheets (80gsm)		
Connectivity				
Interface	Network	Ethernet 100BASE-TX / 10BASE-T		
	Others	USB 1.1 / 2.0		
Network Protocol	TCP/IP v4/v6			
General Specifications				
Power Consumption	Sleep	2.0W or less		
	Maximum	1.5kW or less		

Power Supply	220 - 240V AC, 50 / 60Hz		
Toner Yield	Approx. 10,200 sheets (A4, 6% coverage)		
Drum Yield	Approx. 61,700 sheets		
Dimensions (W x D x H)	622 x 589 x 607mm (with ADF)		
Weight	Approx. 35.5kg (with ADF)		
Installation Space (W x D)	921 x 589mm (when the Bypass Tray is extended)		
Department ID Management	Up to 100 departments		
Optional Accessories			
Duplex Automatic Document Feeder - AM1			
Гуре	Automatic Document Feeder		
Size of Originals	A3, B4, A4, A4R, B5, B5R, A5, A5R		
Paper Weight	When continuously scanning originals: 52 to 105gsm When scanning a single original: 37 to 128gsm		
Max. Number of Originals	50 sheets (80gsm)		
Scanning Speed (Max)	Copying (A4 in Black-and-White at 600dpi)	1-sided scanning: 20ipm 2-sided scanning: 8ipm	
	Scanning	1-sided scanning: 23.4ipm (A4 in B / W at 300dpi) 12ipm (A4 in Color at 300dpi) 2-sided scanning: 8ipm (A4 in B / W at 300dpi) 4ipm (A4 in Color at 300dpi)	
Dimensions (W x D x H)	565 x 520.5 x 126mm		
Weight	7.0kg		
Cassette Unit - AB1			
Paper Sizes	A3, B4, A4, A4-R,	A3, B4, A4, A4-R, B5, B5-R, A5-R	
Paper Capacity	250 sheets (80gsm)		
Power Source	From main unit		
Dimensions (W x D x H)	579 x 575 x 116mm		
Weight	Approx. 5.75kg		
Other Optional Accessories	Duplex Unit-C1, Platen Cover Type T, FL Cassette-AU1,		



• Address: Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.

• Phone No: +022-28460505 (50 lines)

• Email: itsolutions@varay.co.in