

Specifications for imageRUNNER 2202N



Print / Copy / Scan		
Type	B / W Laser Multifunctional (Reader / Printer Console)	
Maximum Original Size	A3	
Fixing System	On-demand Fusing	
Copy Speed	A4	22ppm
	A3	11ppm
First Copy Time	7.9secs	
Warm-Up Time	From Power On	13secs
	From Sleep Mode	2.9secs (The time it takes from recovery sleep to the start key is enabled)
Print Description Language	UFR II Lite	
OS compatibility	Windows 8.1 / 8 / 7 / Vista / XP / 2000, Windows Server 2012 / Server 2008 / Server 2003, Mac OS X 10.5.8 or later	
Resolution	Scan	300 x 300dpi
	Copy	600 x 600dpi
	Print	600 x 600dpi
Pull Scan (MF Toolbox / Scangear)	B / W & Color	

Push Scan (MF Toolbox)	B / W & Color	
Scan Features	TWAIN, WIA compatible	
Supported File Format (Scan)	PDF / Searchable PDF / Compact PDF, BMP, JPEG, TIFF	
Processor speed	400MHZ	
Memory Capacity	128MB	
Paper handling		
Paper Sizes	Cassette 1	A3, B4, A4R, A4, B5R, B5, A5R
	Cassette 2 (Optional)	A3, B4, A4R, A4, B5R, B5, A5R
	Bypass Tray	A3, B4, A4R, A4, B5R, B5, A5R, Envelope (COM 10, Monarch, ISO-C5, DL)
Acceptable Originals	Sheet, Book, and Three dimensional objects (up to 2kg)	
Available Paper	Drawer	Weight: 64 to 90gsm Type: Plain, Recycled, Color (64 to 80gsm), Bond (75 to 90gsm)
	Bypass Tray	Weight: 64 to 128gsm Type: Plain, Recycled, Color (64 to 80gsm), Bond (75 to 90gsm), Heavy Paper 1 (91 to 105gsm), Heavy Paper 2 (106 to 128gsm), Transparencies, Labels, Envelopes
Paper Capacity	Cassette 1	250 sheets (80gsm)
	Cassette 2 (Optional)	250 sheets (80gsm)
	Bypass Tray	80 sheets (80gsm)
Connectivity		
Interface	Network	Ethernet 100BASE-TX / 10BASE-T
	Others	USB 1.1 / 2.0
Network Protocol	TCP/IP v4/v6	
General Specifications		
Power Consumption	Sleep	2.0W or less
	Maximum	1.5kW or less

Power Supply	220 - 240V AC, 50 / 60Hz	
Toner Yield	Approx. 10,200 sheets (A4, 6% coverage)	
Drum Yield	Approx. 61,700 sheets	
Dimensions (W x D x H)	622 x 589 x 607mm (with ADF)	
Weight	Approx. 35.5kg (with ADF)	
Installation Space (W x D)	921 x 589mm (when the Bypass Tray is extended)	
Department ID Management	Up to 100 departments	
Optional Accessories		
Duplex Automatic Document Feeder - AM1		
Type	Automatic Document Feeder	
Size of Originals	A3, B4, A4, A4R, B5, B5R, A5, A5R	
Paper Weight	When continuously scanning originals: 52 to 105gsm When scanning a single original: 37 to 128gsm	
Max. Number of Originals	50 sheets (80gsm)	
Scanning Speed (Max)	Copying (A4 in Black-and-White at 600dpi)	1-sided scanning: 22ipm 2-sided scanning: 8ipm
	Scanning	1-sided scanning: 23.4ipm (A4 in B / W at 300dpi) 12ipm (A4 in Color at 300dpi) 2-sided scanning: 8ipm (A4 in B / W at 300dpi) 4ipm (A4 in Color at 300dpi)
Dimensions (W x D x H)	565 x 520.5 x 126mm	
Weight	7.0kg	
Cassette Unit - AB1		
Paper Sizes	A3, B4, A4, A4-R, B5, B5-R, A5-R	
Paper Capacity	250 sheets (80gsm)	
Power Source	From main unit	
Dimensions (W x D x H)	579 x 575 x 116mm	
Weight	Approx. 5.75kg	

Other Optional Accessories

Duplex Unit-C1, Platen Cover Type T, FL Cassette-AU1,
Heater Kit-M1, Cassette Heater Unit-30, iR Pedestal Type M



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: itsolutions@varay.co.in