

Specifications for imageRUNNER ADVANCE C350i



Type	Reader-printer separated, Desktop	
Maximum Original Size	A4	
Copy Speed (Sheets per minute) (Except when paper is fed from the Multi-Purpose Tray)	A4:	35
	A5:	26
	B5:	26
First Copy Time	Full Colour:	7.4seconds
	Black-and-White:	5.9seconds
Warm-Up Time	From Power On:	34seconds or less
	From Sleep Mode:	10seconds or less
Resolution for Reading	600 x 600dpi (Copy)	
Resolution for Writing	600 x 600dpi (Copy) 600 x 600dpi (Print)	
Paper Weight	Paper Drawer:	60 to 163g/m ²
	Multi-Purpose Tray:	60 to 220g/m ²
Acceptable Originals	Sheet, book, and three dimensional objects (up to 2kg)	
Paper Sizes	Paper Drawer 1 (Standard):	A4, A5, B5, Envelopes (COM10 No.10, Monarch, DL, and ISO-C5)
	Paper Drawers 2,	A4, A5, B5, and Custom size (98.4 x

	3, 4 (Optional):	190.5mm to 216 x 355.6mm)
	Multi-Purpose Tray:	A4, A5, B5, and Custom size (98.4 x 148 mm to 216 x 355.6mm) Envelopes (COM10 No.10, Monarch, DL, and ISO-C5)
Paper Feeding System	Paper Drawer 1 (Standard):	550 sheets (80g/m ²) 50 envelopes(or 30mm or less in height) or 12cpm
	Paper Drawers 2, 3, 4 (Optional):	550 sheets (80g/m ²)
	Multi-Purpose Tray:	100 sheets (80g/m ²)
Multiple Copies	999 sheets	
CPU	1.66GHz	
Memory	2GB RAM	
Hard Disk Capacity	160GB (up to 80GB to be used)	
Power Source	220 - 240V AC, 50 / 60Hz, 4.1 A	
Power Consumption	Maximum Power Consumption: 1.5kW or less When the machine is in the Sleep Mode*: 1W When the main power switch is turned OFF: 0.1W * Depending on the system and conditions of use, these values may differ.	
Dimensions (H x W x D)	610 x 511 x 621mm	
Installation Space (W x D)	852 x 621mm (when the multi-purpose tray is extended)	
Weight	Approximately 45kg	
Toner Yield (A4, 5% coverage)	Black:	19,000
	Color (Cyan, Magenta, Yellow):	21,500
Drum Yield	Black:	38,400 (Black)
	Color (Cyan, Magenta, Yellow):	25,500
Print Specification		
PDL	UFR II, PCL 5c/6, Adobe PostScript 3	
Supported OS	UFR II:	Windows XP / Vista / 7 / 8 / 8.1 Windows Server 2003 / Server 2008 R2 / Server 2012 R2

	PCL:	Windows XP / Vista / 7 / 8 / 8.1 Windows Server 2003 / Server 2008 R2 / Server 2012 R2
	Adobe PostScript 3:	Windows XP / Vista / 7 / 8 / 8.1 Windows Server 2003 / Server 2008 R2 / Server 2012 R2
Font	PCL:	93 Scalable, 2 OCR, 10 Bitmap, AndaleFont*
	Adobe PostScript 3:	136 Scalable
	* Optional PCL International Font Set required	
Interface	Network:	Ethernet 10Base-T / 100Base-TX / 1000Base-T (RJ-45)
	Others:	USB 2.0 x 1 (Device); USB 2.0 x 2 (Host)
Network Protocol	TCP/IP (LPD / Raw / IPP / IPPS / FTP / WSD / SMB / NetWare), IPX / SPX, IPv6, SNMP, SLP	
Communication Protocol	FTP (TCP/IP), SMB (TCP/IP), WebDAV	
Data Format	TIFF, JPEG, PDF, XPS, OOXML (PowerPoint)	
Resolution	Colour:	100 x 100dpi, 150 x 150dpi, 200 x 100dpi, 200 x 200dpi, 300 x 300dpi
	Black-and-White:	100 x 100dpi, 150 x 150dpi, 200 x 100dpi, 200 x 200dpi, 200 x 400dpi, 300 x 300 pi, 400 x 400dpi, 600 x 600dpi
Standard PDF/XPS functions	PDF:	Compact, Optimization for Web* ¹ PDF/A-1b *PDF files optimized for Web Viewing
	XPS:	Compact
Optional PDF / XPS / OOXML Functions	PDF:	Trace and Smooth, Encryption, OCR, Device Signature, User Signature, Reader Extensions
	XPS:	OCR, Device Signature, User Signature
	OOXML:	PowerPoint, OCR



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: itsolutions@varay.co.in