

Specifications for canon digital camera ixus-160 (slo)



Technical Details

Imaging Processor	DIGIC 4+	
Image Sensor		
Camera Effective Pixels	Approx. 20.0 megapixels (aspect ratio: 4:3)	
Sensor Size	1/2.3 type	
Lens		
Focal Length	8x zoom:	5.0 (W) - 40.0 (T) mm 35mm film equivalent: 28 (W) - 224 (T) mm
Focusing Range	1cm (0.4in.) - infinity (W), 1.3m (4.3ft.) - infinity (T)	
	Macro:	1 – 50cm (W) (0.4in. – 1.6ft. (W))
Image Stabilizer (IS) System	Digital	
LCD Monitor		

Type	2.7-inch type
Effective Pixels	Approx. 230,000 dots
Aspect Ratio	4:3
Focus	
Control System	Autofocus: Continuous, Servo AF
AF Frame	Face AiAF, Tracking AF, Center
Metering System	Evaluative, Center-weighted average, Spot
ISO Speed (Standard Output Sensitivity, Recommended Exposure Index)	AUTO, ISO 100 – ISO800 1-stop increments
Shutter Speed	1 - 1/2000sec. 15 - 1sec. (in Long Shutter mode)
Aperture	
Type	Circular diaphragm
f/number	f/3.2 - f/9.0 (W), f/6.9 - f/20.0 (T)
Flash	
Modes	Auto, On, Slow Synchro, Off
Range	50cm – 3.0m (W), 1.3m - 1.5m (T) (1.6 – 9.8ft. (W), 4.3 – 4.9ft. (T))
Shooting Specifications	
Shooting Modes	AUTO, P, Live View Control, Digital IS, Portrait, Face Self-timer, Low Light, Fish-eye Effect, Miniature Effect, Toy Camera Effect, Monochrome, Super Vivid, Poster Effect, Snow, Fireworks, Long Shutter

	<ul style="list-style-type: none"> Shooting movies is possible with the movie button 	
Continuous shooting (AUTO, P Mode)	Approx. 0.8 shots/sec. (In AUTO, P mode) Approx. 2.2 shots/sec (In Low Light mode)	
Recording Specifications		
Number of Recording Pixels	Still Images:	4:3 Large: 5152 x 3864 Medium 1: 3648 x 2736 Medium 2: 2048 x 1536 Small: 640 x 480
	Aspect Ratio:	- (Selection of Wide: 5152 x 2896 possible)
	Movies:	Miniature Effect: 1280 x 720 / 640 x 480 Other than the above: 1280 x 720 / 640 x 480
Power Supply	Battery Pack NB-11L	
Number of Shots (CIPA compliant)	Approx. 220 images	
Number of Shots (CIPA compliant)	Approx. 300 images	
Movie Recording Time (Actual usage time)	Approx. 55min.	
Dimensions (CIPA compliant)	95.2 x 54.3 x 22.1mm (3.75 x 2.14 x 0.87in.)	
Weight (CIPA compliant)	Approx. 127g (4.48oz.) (including battery & memory card) Approx. 111g (3.92oz.) (camera body only)	
Other Features	AUTO button, ECO button, Help button	

Product Description :

The IXUS 160 appeals to users who enjoy taking pictures with minimal tweaking of settings. This camera advance's technology detects optimal settings and boasts ease in operation to simply point and shoot.



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: itsolutions@varay.co.in