

Specifications for canon digital camera powershot sx 700 (red)



Technical Details

Brand	Canon
Model	SX700 HS
Model Name	PowerShot
Item Weight	245 g
Product Dimensions	18.6 x 15.7 x 6.9 cm
Item model number	SX700 HS
Resolution	1280x720
Included Components	Mobile device connect button, NFC compatibility
Screen Size	3 Inches
Display Type	LCD
Image Stabilization	1484872031
Has Image Stabilization	Yes
Optical Zoom	30 X
Digital Zoom	4 X
Aspect Ratio	4:3
Optical Sensor Resolution	16.1 Megapixels
Min Shutter Speed	1-1/3200 seconds
Min Focal Length	4.5 Millimeters

Batteries Included	No
Flash Modes Description	Auto, On, Slow Synchro, Off
Viewfinder Type	digital
Has Auto Focus	Yes
Has Self Timer	Yes
Pixels	Actual: 16.8 Megapixel Effective: 16.1 Megapixel
Sensor	1/2.3" CMOS
File Formats	Still Images: JPEG
Max Resolution	16 MP: 4608 x 3456
Aspect Ratio	1:1, 3:2, 4:3, 16:9
Image Stabilization	Optical
Optics	
Lens	EFL: 4.5-135mm (35 mm equivalent: 25-750mm) Aperture: f/3.2 (W) - 6.9 (T)
Zoom	Optical: 30x Digital: 4x
Focus Range	Auto: 0.4" (1.02 cm) - Infinity Normal: 2" (5.08 cm) - Infinity Macro: 0.4" (1.02 cm) - 1.6' (48.77 cm) Quick: 3.3' (1.01 m) - Infinity
Exposure Control	
ISO Sensitivity	Auto, 100-3200
Shutter	1 - 1/3200 15 - 1/3200 in Manual Mode 15 - 1/3200 in Shutter Priority Mode
Exposure Metering	Average, Center-weighted, Evaluative
Exposure Modes	Modes: AE Lock, Aperture Priority, Hybrid Auto, Manual, Program, Shutter Priority, Smart Auto Compensation: -2 EV to +2 EV (in 1/3 EV steps)
Shooting Modes	A (Aperture Priority) Auto Creative Shot Fireworks Fish-Eye Effect Handheld Night Scene High Speed Shutter Hybrid Auto Low Light M (Manual) Miniature Effect Monochrome Movie Natural P

	Portrait Poster Effect Retro S (Speed Priority) Smart Shutter Smile Snow Soft Focus Sports Super Slow Motion Movie Super Vivid Toy Camera Effect
White Balance Modes	Auto, Cloudy, Custom, Daylight, Fluorescent, Fluorescent H, Tungsten
Burst Rate	Up to 8.5 fps
Self Timer	10 Sec, 2 Sec
Flash	
Flash Modes	Auto Off Slow Sync
Built-in Flash	Yes
Maximum Effective Flash Range	Wide: 1.6 - 11' (0.49 - 3.35 m) Telephoto: 3.3 - 6.6' (1.01 - 2.01 m)
Memory	
Memory Card Type	SD SDHC SDXC
Recording	
Video Recording	Yes
Resolution	1920 x 1080: 60 fps, 30 fps 1280 x 720: 30 fps 1280 x 720: 6 fps, 3 fps, 1.5 fps 640 x 480: 6 fps, 3 fps, 1.5 fps 640 x 480: 120 fps 320 x 240: 240 fps 640 x 480: 30 fps
Video	
Video Clip Length	Up to 29 Minutes
Audio Recording	Built-in Mic: With Video, Stereo
Viewfinder/Display	
Screen	3.0" LCD Rear Screen (922,000 pixels)
Screen Coverage	100%
Connectivity/System Requirements	
Wi-Fi	Yes
Power	

Battery	1x NB-6LH Rechargeable Lithium-Ion Battery Pack, 3.7 VDC, 1060 mAh
Physical	
Dimensions (WxHxD)	4.4 x 2.6 x 1.4" / 11.2 x 6.6 x 3.6 cm
Weight	9.5 oz / 269 g
Packaging Info	
Package Weight	1.2 lb
Box Dimensions (LxWxH)	6.3 x 5.9 x 2.4"

Product Description :

PowerShot SX700 HS with a sleek 34.8 millimeters body that is slimmer than few of its competitors in the compact 30x zoom class. Along with the small body, the PowerShot SX700 HS is easy to use, with a comfortable grip when shooting at high zooms.



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: itsolutions@varay.co.in