

Specifications for canon digital camera powershot sx-170 is (red)



Technical Details

Imaging	
Pixels	Actual: 14.5 Megapixel Effective: 14.1 Megapixel
Sensor	1/2.3" CCD
File Formats	Still Images: JPEG Movies: MPEG-4 AVC/H.264, MOV Audio: Linear PCM
Max Resolution	14 MP: 4320 x 3240
Aspect Ratio	4:3, 16:9
Image Stabilization	Optical
Optics	
Lens	EFL: 5.0-60mm (35 mm equivalent: 28-336mm) Aperture: f/3.4 (W) - 5.6 (T)
Zoom	Optical: 12x Digital: 4x
Focus Range	Wide: 0.4" (1.02 cm) - Infinity Telephoto: 3.3' (1.01 m) - Infinity Wide: 2.0" (5.08 cm) - Infinity Wide Macro: 0.4" (1.02 cm) - 1.6' (0.49 m)
Exposure Control	
ISO Sensitivity	Auto, 80-1600

Shutter	15 - 1/2500 seconds
Exposure Metering	Center-weighted, Evaluative, Spot
Exposure Modes	Modes: AE Lock Compensation: -2 EV to +2 EV (in 1/3 EV steps)
White Balance Modes	Auto, Cloudy, Custom, Daylight, Fluorescent, Fluorescent H, Tungsten
Burst Rate	Up to 3.2 fps
Self Timer	10 Seconds, 2 Seconds
Flash	
Flash Modes	Auto
Built-in Flash	Yes
Maximum Effective Flash Range	Wide: 1.6 - 9.8' (0.49 - 2.99 m) Telephoto: 3.3 - 6.6' (1.01 - 2.01 m)
Memory	
Memory Card Type	SD SDHC SDXC
Recording	
Video Recording	Yes, NTSC/PAL
Video	
Audio Recording	With Video, Stereo
Viewfinder/Display	
Screen	3.0" LCD Rear Screen (230,000 pixels)
Connectivity/System Requirements	
Connectivity	AV Output Audio Out USB 2.0
Environmental	
Operating/Storage Temperature	Operating 32 to 104°F (0 to 40°C) Humidity: 10 - 90%
Power	
Battery	2x AA Batteries
Physical	
Dimensions (WxHxD)	4.5 x 2.9 x 1.8" / 11.3 x 7.3 x 4.6 cm
Weight	9.10 oz / 258 g <i>Camera only</i>
Packaging Info	
Box Dimensions (LxWxH)	6.5 x 6.0 x 3.0"

Product Description :

Easy to use, compact and packed with features, the Canon PowerShot SX170 IS Advance Point and Shoot Camera is the ideal choice when you want something better than a simple point and shoot but not too keen on investing in a DSLR.



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: itsolutions@varay.co.in