

Specifications for canon digital camera powershot sx530 hs (o)



Technical Details:

Imaging Processor	DIGIC 4+	
Image Sensor		
Camera Effective Pixels	Approx. 16.0 megapixels (aspect ratio: 4:3)	
Sensor Size	1/2.3 type	
Lens		
Focal Length	50x zoom:	4.3 (W) - 215.0 (T) mm 35mm film equivalent: 24 (W) - 1200 (T) mm)
Focusing Range	0cm (0in.) - infinity (W), 1.3m (4.3ft.) - infinity (T)	
	Macro:	0 - 50cm (W) (0in. - 1.6ft. (W))
Image Stabilizer (IS) System	Len-shift type	
LCD Monitor		
Type	3.0-inch type, TFT colour LCD with wide viewing angle	
Effective Pixels	Approx. 461,000 dots	
Aspect Ratio	4:3	

Focus		
Control system	Autofocus: Continuous, Servo AF Manual Focus	
AF frame	Face AiAF, Center, Tracking AF	
Metering System	Evaluative, Center-weighted average, Spot	
ISO Speed (Standard Output Sensitivity, Recommended Exposure Index)	AUTO, ISO 100 – ISO 1600 1 stop increments	
Shutter Speed	1 - 1/2000sec. 15 - 1/2000sec. (in Tv/M Mode)	
Aperture		
Type	Iris diaphragm	
f/number	f/3.4 - f/8.0 (W), f/6.5 - f/8.0 (T)	
Flash		
Modes	Auto, On, Slow Synchro, Off	
Range	50cm – 5.5m (W), 1.3m - 3.0m (T) (1.6 – 18ft. (W), 4.3 – 9.8ft. (T))	
Shooting Specifications		
Shooting Modes	M, Av, Tv, P, Live View Control, Hybrid Auto, AUTO, Creative Shot, SCN* ¹ , Creative Filters* ² , Movie* ³ * ¹ Portrait, Smart Shutter* ⁴ , High-speed Burst, Low Light, Snow, Fireworks * ² Fish-eye Effect, Miniature Effect, Toy Camera Effect, Monochrome, Super Vivid, Poster Effect * ³ Standard * ⁴ Smile, Wink Self-timer, Face Self-timer • Shooting movies is possible with the movie button	
Continuous shooting (AUTO, P Mode)	AUTO , P Mode:	Approx. 1.6 shots/sec.
	In High-speed Burst HQ mode:	Approx. 10 shots/sec.
Recording Specifications		
Number of Recording Pixels	Still Images:	4:3 Large: 4608 x 3456 Medium 1: 3264 x 2448 Medium 2: 2048 x 1536

		Small: 640 x 480
	Aspect Ratio:	16:9 / 3:2 / 4:3 / 1:1
	Movies:	Miniature Effect: 1280 x 720 / 640 x 480 Other than the above: 1920 x 1080 / 1280 x 720 / 640 x 480
Power Supply	Battery Pack NB-6LH	
Number of Shots (CIPA Compliant)	Approx. 210 images	
Number of Shots (Eco Mode)	Approx. 290 images	
Movie Recoding Time (Actual Usage Time)	Approx. 45mins.	
Dimensions (CIPA compliant)	120.0 x 81.7 x 91.9mm (4.72 x 3.22 x 3.62in.)	
Weight (CIPA compliant)	Approx. 442g (15.6oz.) (including battery & memory card) Approx. 418g (14.7oz.) (camera body only)	
Other Features	Wi-Fi, NFC (dynamic type), Zoom Framing Assist buttons (Seek, Lock)	

Product description :

Manufacturer description: With a 50x Optical Zoom lens (equivalent to 24-1200mm) and optical image stabilization, the SX530 HS is ideal for those with active lifestyles who want to take high-quality close-up shots of their travel adventures or weekend getaways. And with Wi-Fi and NFC capabilities, users can easily share and print their special images wirelessly. In addition to featuring a powerful optical zoom range and wireless options, the SX530 HS digital camera combines a 16 Megapixel High-Sensitivity CMOS sensor and Canon's DIGIC 4+ Image Processor to create the Canon HS System allowing for excellent low-light performance.

Giving users the ability to capture life in motion, the camera features a dedicated movie button so users can easily record 1080p Full HD video utilizing the camera's full 50x Optical Zoom capability. In addition, Intelligent IS enables the camera to automatically choose the best settings to help optimize image stabilization for virtually shake-free images and video in various shooting conditions. The camera's high speed AF allows users to autofocus quickly to help capture every shot with ease. The PowerShot SX530 HS digital camera's advanced Zoom Framing Assist feature intelligently controls the lens, making it easy to identify the main subject of the shot, even when the subject is moving.



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: itsolutions@varay.co.in