

specifications for canon digital slr camera eos-60d (18-135)



Technical Details

Auto Focus Technology	<ul style="list-style-type: none">• Contrast Detect (sensor)• Phase Detect• Multi-area• Selective single-point• Single• Continuous• Face Detection• Live View
Autofocus Points	9
Battery Average Life	1,100 Photos
Color	Black
Compatible Mountings	<ul style="list-style-type: none">• Canon EF• Canon EF-S
Continuous Shooting Speed	5.3 fps

Display	LCD
Display Fixture Type	Fully-articulated
Display Resolution Maximum	1,040,000
Effective Still Resolution	18 MP
Expanded ISO Maximum	6,400
Expanded ISO Minimum	100
Exposure Control Type	<ul style="list-style-type: none"> • manual-and-automatic • shutter-speed-priority • aperture-priority • program
External Memory Included	Yes
Flash Memory Installed Size	16
Flash Memory Type	SD/SDHC/SDXC
Flash Modes Description	Auto,Flash off,Slow synchronization
Flash Sync Speed	1/250_sec
Flash Type	Built-in Flash, Hot-shoe, Wireless plus Sync connector
Flash Type	Built-In Flash
Focus Description	TTL-CT-SIR, 9 focus points (cross-type)
Focus Type	Automatic with Manual
Form Factor	Mid-size SLR
GPS	None
HDMI Type	HDMI Mini
ISO Range	Auto, 100, 200, 400, 800, 1600, 3200, 6400, (12800 with boost)
Image Aspect Ratio	1:1, 4:3, 3:2, 16:9
Image Stabilization	None
Image types	JPEG
Item Dimensions	4.17 x 3.11 x 5.71 inches
Item Display Weight	0 pounds
Item Weight	1.66 pounds
Lens Type	zoom
Lithium Battery Energy Content	13 Watt Hours
Lithium Battery Weight	80 grams
Manufacturer Warranty Description	1 year limited
Material Type	Magnesium Alloy
Maximum Aperture	<i>f/3.5</i>
Maximum Focal Length	135 mm
Maximum Shutter Speed	1/8000 of a second
Maximum horizontal resolution	5,184
Metering	Multi, Center-weighted, Spot, Partial
Minimum Aperture	<i>f/36</i>
Minimum Focal Length	18 mm
Minimum Shutter Speed	30 seconds

Model Year	2010
Optical Sensor Resolution	18 MP
Optical Sensor Technology	CMOS
Optical Zoom	7.5x
Photo Sensor Technology	CMOS
Processor Description	Digic 4
Remote Control Description	Optional
Removable Memory	Secure Digital card
Self-timer	Yes
Sensor Cleaning Method	EOS integrated cleaning system with fluorine coating
Shipping Weight	2.98 pounds
Style Name	With 18-135mm Lens
Supported Battery Types	Lithium-Ion LP-E6 rechargeable battery & charger
USB 2.0	1
Video Capture Format	mpeg-4;h.264
Video Capture Resolution	1080p_hd
Viewfinder Magnification	0.95x
Viewfinder Type	Optical (pentaprism)
Weather Resistance	Water and Dust resistant

Product Description :

Canon's 4660B004 EOS 60D 18MP Digital SLR Camera and EF-S 18-135mm f/3.5-5.6 IS Lens features an improved APS-C sized 18.0 megapixel CMOS sensor for tremendous images, a DIGIC 4 Image Processor for finer detail and excellent color reproduction. The Multi-control Dial enables users to conveniently operate menus and enter settings with a simple touch. It also features a vari-angle 3.0-inch Clear View LCD (1,040,000 dots) monitor for easy low- or high-angle viewing. An improved viewfinder plus HDMI output for viewing images on an HDTV all make the EOS 60D invaluable for the evolving photographer. And covering a range from 29mm-216mm in 35mm format, the EF-S 18-135mm f/3.5-5.6 IS lens offers a winning combination of size, range and features and is a perfect complement to APS-C cameras. With high-quality optics, dedicated image stabilization and more, this lens promises to be a favorite for EOS users. 1-Year Limited Warranty.



- **Address :** Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No:** +022-28460505 (50 lines)
- **Email:** itsolutions@varay.co.in

