

Specifications for Fargo DTC4250e



Product Information

Printing Capability	Single-sided printing - standard Dual-sided printing - optional upgrade
Printing Speeds (sec/card)	6 seconds (monochrome (K) single-sided card) 16 seconds (full-color (YMCKO) single-sided card)
Input Hopper Capacity	100
Output Hopper Capacity	100 100-card reject hopper (required same-side input/output card hopper)
Card Sizes Accepted	CR79 - adhesive back CR80 - standard credit card size
Card Thickness Accepted	9-40 mil
Interface	USB 2.0 & Ethernet with internal print server
Software Drivers	Microsoft® Windows® XP, Windows Server 2003 & 2008, Vista (32- & 64-bit), Windows 7 (32- & 64-bit), Windows 8 (32- & 64-bit) Restricted Mac compatibility* OS X v10.5, v10.6, v10.7, v10.8, & v10.9 <small>*A PC is required to make changes within the Workbench Printer Utility in the printer driver</small> <u>Additional drivers coming:</u> Linux Ubuntu 12.04, Debian 7.0, Fedora 18, Mandriva 2011, Red Hat 6.4, Open Suse 12.3 All drivers include Fargo Workbench Printer Utility & Swift ID™

	Embedded Badging Application
Warranty	3 years on printer and printhead (unlimited pass with Ultracard™) 1 no-questions-asked printhead replacement 1 year of loaner coverage
Weight & Dimensions	8 lbs (3.63 kg), 18.1" x 9.8" x 9.2" (460mm x 249mm x 234mm)
Printer Includes	USB cable US/International power cords CD with printer drivers & user guide
Printer Options	Ethernet with internal print server - field-installable Dual-sided printing module - field-installable Same-side input/output hopper - field-installable 200-Card dual-input hopper - field-installable Extended warranties through ID Wholesaler, including options to add printer loaner coverage to standard warranty

Asure ID 7 Express Software Specifications

Printing Capability	Full-color one-sided or two-sided (duplex) capabilities Batch printing
Database	Microsoft Access Internal database with unlimited records LiveLink™ to local database
Encoding	1-D (linear) and 2-D barcodes Magnetic stripe
Card Management	Import images Add signatures Integrated photo capture Add unlimited data fields
Options	Upgrade to Enterprise or Exchange editions Add Protect Plan Software Training - customized training makes getting up and running quick and easy
System Requirements	600Mhz Intel or AMD CPU or higher 128MB RAM 2MB Video Card SVGA Monitor at 800 x 600 resolution CD-ROM Drive Microsoft Internet Explorer 6.0 MS Windows XP (All Editions 32- & 64-bit) SP3 MS Windows Vista (All Editions 32- & 64-bit)SP1 Windows 7 (32- & 64-bit)



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines).
- **Email**: itsolutions@varay.co.in