

Specifications for Samsung ED75D



Panel
<ul style="list-style-type: none">• Diagonal Size
190.5cm (75)
<ul style="list-style-type: none">• Type
120Hz LED BLU
<ul style="list-style-type: none">• Resolution
1920 × 1080 (16:9)
<ul style="list-style-type: none">• Pixel Pitch(mm)
0.2865(H) × 0.8595(V)
<ul style="list-style-type: none">• Active Display Area
1650.24(H) × 928.26(V)
<ul style="list-style-type: none">• Brightness

320nit
<ul style="list-style-type: none"> • Contrast Ratio
4,000:1
<ul style="list-style-type: none"> • Viewing Angle(Horizontal/Vertical)
178:178
<ul style="list-style-type: none"> • Response Time (G-to-G)
4ms
<ul style="list-style-type: none"> • Display Color
10bit Dithering - 1.07Billion
<ul style="list-style-type: none"> • Color Gamut
70%
Connectivity
<ul style="list-style-type: none"> • Input
RGB
Analog D-SUB, DVI-D
Video
CVBS, Component, HDMI
Audio
Stereo mini Jack
<ul style="list-style-type: none"> • Output
Audio
Stereo mini Jack
Mechanical Specification
<ul style="list-style-type: none"> • Dimension
Set Dimension (WxHxD)
1675.0mm x 959.1mm x 64.8mm
Package Dimension (WxHxD)
1853.0mm x 1100.0mm x 488.0mm
<ul style="list-style-type: none"> • Weight
Set Weight
28.8 Kg
Package Weight
48.8 Kg

<ul style="list-style-type: none"> • VESA Mount
400*400mm
<ul style="list-style-type: none"> • Stand Type
Foot Stand (Optional)
<ul style="list-style-type: none"> • Media Player Option Type
PIM
Power
<ul style="list-style-type: none"> • Power Supply
AC 100 - 240 V~ (+/- 10 %), 50/60 Hz
<ul style="list-style-type: none"> • Power Consumption
Off Mode
less than 1W
On Mode
360 (Max) / 247 (Typ.) / 1227.6 (BTU)
Sleep Mode
less than 1W
Accessory
<ul style="list-style-type: none"> • Included
Quick Setup Guide, Warranty Card, D-Sub cable, Power Cord, Remote Controller, Batteries
<ul style="list-style-type: none"> • Optional
Mount
WMN4675MD
Specialty
CML450D (Ceiling Mount)
Stand
STN-L75E



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.

- **Phone No:** +022-28460505 (50 lines)
- **Email:** itsolutions@varay.co.in