



## Specifications Benq-MX525



### Benq-MX525 specifications

Projection System	DLP
Native Resolution	XGA (1024 x 768)
Brightness*	3200AL
Contrast Ratio	13000:1
Display Color	1.07 Billion Colors
Lens	F=2.56-2.68, f=22.04-24.14 mm
Throw Ratio	1.96~2.15(78"±3% @ 3.1m)
Image Size (Diagonal)	60"~300"
Zoom Ratio	1.1:1
Lamp Type	190W
Lamp Mode (Normal / Economic / SmartEco / LampSave / LumenCare)	4500/6000/6500/10000 hours

Projection Offset	120% ±5%
Resolution Support	VGA(640 x 480) to WUXGA_RB(1920X1200) *RB=Reduced blanking
Horizontal Frequency	15-102KHz
Vertical Scan Rate	23-120Hz
Interface	Computer in (D-sub 15pin) x 2 (Share with component) Monitor out (D-sub 15pin) x 1 Composite Video in (RCA) x 1 S-Video in (Mini DIN 4pin) x 1 HDMI x 1 Audio in (Mini Jack) x 1 Audio out (Mini Jack) x 1 Speaker 2W x 1 USB (Type B) x1 RS232 (DB-9pin) x 1 IR Receiver x1 (Front)
Dimensions(W x H x D)	283 x 95 x 222 mm (with feet) 283 x 88.7 x 222 mm (without feet)
HDTV Compatibility	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Video Compatibility	NTSC, PAL, SECAM
3D Support and Compatibility	Frame Sequential: Up to 720p Frame Packing: Up to 1080p Side by Side: Up to 1080i/p Top Bottom: Up to 1080p
Weight	1.9 kg
Power Supply	AC100 to 240 V, 50 to 60 Hz
Picture Modes	Dynamic/Presentation/sRGB/Cinema/(3D)/User 1/User 2
Accessories (Standard)	Remote Control w/ Battery Power Cord (by region) UM Download Instruction and Regulatory Statements  Quick Start Guide Warranty Card (by region) VGA(D-sub 15pin) Cable
Aspect Ratio	Native 4:3 (5 aspect ratio selectable)

Keystone Adjustment	1D, Vertical $\pm 40$ degrees
Audible Noise Normal Economic Mode	33/28 dBA (Normal/Economic mode)
Accessories(Optional)	Spare Lamp Kit Ceilling Mount 3D Glasses Carry bag
PointWrite Camera Module	
Power consumption	Normal 270W, Eco 220W, Standby <0.5W
Software 	
On-Screen Display Languages	Arabic/Bulgarian/ Croatian/ Czech/ Danish/ Dutch/ English/ Finnish/ French/ German/ Greek/ Hindi/ Hungarian/ Italian/ Indonesian/ Japanese/ Korean/ Norwegian/ Polish/ Portuguese/ Romanian/ Russian/ Simplified Chinese/Spanish/ Swedish/ Turkish/ Thai/ Traditional Chinese (28 Languages)



- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: [itsolutions@varay.co.in](mailto:itsolutions@varay.co.in)