

Specifications for Epson EB Z8000WU



General	
LCD Size	1.06" wide panel with MLA (D8, C2Fine)
Native Resolution	XGA
Brightness (White and Colour)	8,000lm / N/A *Colour brightness colour light output and white brightness white light output will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.
Contrast Ratio	5,000:1
Projection Lens	TYPE Power Zoom / Power Focus / Power Shift F-NUMBER 1.65 - 2.51 FOCAL LENGTH 36.00mm - 57.35mm ZOOM RATIO 1 - 1.61
Screen Size (Projection Distance)	ZOOM: WIDE 60" - 500" [1.94m - 16.76m] ZOOM: TELE

	60" - 500" [3.19m - 27.16m] 100" screen 3.29m - 5.37m
Throw Ratio	1.63 - 2.65 (Wide - Tele)
Lamp Type	340W UHE x 2
Lamp Life	NORMAL/ECO 2,500 hours / N/A *Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.
Keystone Correction	VERTICAL/HORIZONTAL ±30° / ±20° (Zoom: Tele with standard lens)
Lens Shift	VERTICAL (UP/DOWN) ±56% HORIZONTAL (LEFT/RIGHT) ±6%
Input Interface	ANALOG INPUT D-SUB 15PIN 1 (Blue) 5BNC 1 COMPONENT 5-BNC, Mini D-sub 15pin x 1 Blue-molding (in common with Analog RGB connector) COMPOSITE 1-BNC S-VIDEO Mini DIN DIGITAL INPUT HDMI 2
Output Interface	D-SUB 15PIN 1 (Black)
USB Interface	USB TYPE A 1 (For wireless LAN Adapter ELPAP07) USB TYPE B

	1 (For service only)
Control Interface	RS-232C D-sub 9pin x 1 REMOTE CONTROL INPUT Stereo mini-jack x 1
Network Interface	WIRED LAN RJ45 x 1 (10/100Mbps) WIRELESS Optional (ELPAP07)
Operating Temperature	0°C - 50°C (32°F - 122°F) (20% - 80% humidity, unfrozen) (Thermal shut down Normal1 50°C (122°F)) & Normal2 55°C (131°F) 0°C - 40°C (32°F - 104°F) (over 1,500m / 4,921ft: with High altitude mode, Normal1) (20% - 80% humidity, unfrozen) 0°C - 45°C (32°F - 113°F) (over 1,500m / 4,921ft: with High altitude mode, Normal2) (20% - 80% humidity, unfrozen)
Dimensions (Including Lens and Feet)	W x H x D 534mm x 734mm x 167mm (21.02" x 28.89" x 6.57") (not including foot, projection lens and handle)
Weight	Approx. 22kg / 48.4lbs (Including lens)
Fan Noise	NORMAL/ECO 46dB / N/A

No lens model EB-Z8150NL is also available.

Control Panel



VARAY
IMAGE RUNNERS
You Trust - We Deliver

- **Address** : Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.
- **Phone No**: +022-28460505 (50 lines)
- **Email**: itsolutions@varay.co.in